

# Contents of Volume 110

- Acevedo R, Samaniego R, Moreno Díaz de la Espina S: Coiled bodies in nuclei from plant cells evolving from dormancy to proliferation 559
- Adams RR, Eckley DM, Vagnarelli P, Wheatley SP, Gerloff DL, Mackay AM, Svingen PA, Kaufmann SH, Earnshaw WC: Human *INCENP* colocalizes with the Aurora-B/AIRK2 kinase on chromosomes and is overexpressed in tumour cells 65
- Ahmad W, Ali MN, Farah MA, Ateeq B: Computerized automated morphometric assay including frequency estimation of pentachlorophenol induced nuclear anomalies (micronucleus) in catfish *Heteropneustes fossilis* 570
- Alexandrov I, Kazakov A, Tumeneva I, Shepelev V, Yurov Y: Alpha-satellite DNA of primates: old and new families 253
- Ali MN → Ahmad W
- Ambros PF → Pedrosa A
- Ammermann D → Skovorodkin IN
- Angell RR → Wolstenholme J
- Arana P → Rebollo E
- Armstead IP, Bollard A, Morgan WG, Harper JA, King IP, Jones RN, Forster JW, Hayward MD, Thomas HM: Genetic and physical analysis of a single *Festuca pratensis* chromosome segment substitution in *Lolium perenne* 52
- Ateeq B → Ahmad W
- Azzalin CM, Nergadze SG, Giulotto E: Human intrachromosomal telomeric-like repeats: sequence organization and mechanisms of origin 75
- Baker SM → Jonason AS
- Balczon R: Overexpression of cyclin A in human HeLa cells induces detachment of kinetochores and spindle pole/centrosome overproduction 381
- Bártová E, Kozubek S, Jirsová P, Kozubek M, Lukášová E, Skalníková M, Cafourková A, Koutná I, Paseková R: Higher-order chromatin structure of human granulocytes 360
- Belyaeva ES → Semeshin VF
- Benavente E → Sánchez-Morán E
- Berger F → Loppin B
- Bollard A → Armstead IP
- Bondinas GP, Loukas MG, Goulielmos GN, Sperlich D: The actin loci in the genus *Drosophila*: establishment of chromosomal homologies among five palearctic species of the *Drosophila obscura* group by in situ hybridization 441
- Bonvicino CR, Lemos B, Seuánez HN: Molecular phylogenetics of howler monkeys (*Alouatta*, Platyrrhini). A comparison with karyotypic data 241
- Brookfield JFY → Carr M
- Buglia GL → Ferraro M
- Burgoyne PS → Rodriguez TA
- Cafourková A → Bártová E
- Calvi BR, Spradling AC: The nuclear location and chromatin organization of active chorion amplification origins 159
- Capanna E → Redi CA
- Carr M, Soloway JR, Robinson TE, Brookfield JFY: Mechanisms regulating the copy numbers of six LTR retrotransposons in the genome of *Drosophila melanogaster* 511
- Castillejo-López C → Rosén M
- Cheng Z, Stupar RM, Gu M, Jiang J: A tandemly repeated DNA sequence is associated with both knob-like heterochromatin and a highly decondensed structure in the meiotic pachytene chromosomes of rice 24
- Cooke H → Shen MH
- Couble P → Loppin B
- Cuñado N → Herrán R de la
- Cuvier O, Hart CM, Käs E, Laemmli UK: Identification of a multicopy chromatin boundary element at the borders of silenced chromosomal domains 519
- Daneholt B: Packing and delivery of a genetic message 173
- Das S → Stapleton W
- De Boni U → Martou G
- DiBartolomeis SM → Mok EH
- Diez J-L → Martinez J-L
- Drouin R → Lavoie J
- Earnshaw WC → Adams RR
- Earnshaw WC → Vagnarelli P
- Eckley DM → Adams RR
- Edström JE → Martinez J-L
- Edström J-E → Rosén M
- Fakan S → Malatesta M
- Farah MA → Ahmad W
- Ferraro M, Buglia GL, Romano F: Involvement of histone H4 acetylation in the epigenetic inheritance of different activity states of maternally and paternally derived genomes in the mealybug *Planococcus citri* 93
- Ferrer C → Podemski L
- Fominaya A → Linares C
- Forster JW → Armstead IP
- Friebe B → Zhang P
- Fukui K → Mishima M
- Furlong CL → Multani AS
- Garagna S → Redi CA
- Garrido-Ramos MA → Herrán R de la
- Gazzanelli G → Malatesta M
- Gerbi SA → Mok EH
- Gerloff DL → Adams RR
- Gill BS → Zhang P
- Giulotto E → Azzalin CM
- Goulielmos GN → Bondinas GP
- Green-Marroquin BL, Kupfer H, Virkki N, Wise DA: Orientation of nonrandomly segregating sex chromosomes in spermatocytes of the flea beetle, *Alagoasa bicolor* L. 32
- Gu M → Cheng Z
- Günzl A → Skovorodkin IN
- Hagemann S → Pinsker W
- Haraguchi T → Nabetani A
- Harata M → Niimi A
- Hardikar AA, Nath BB: Chromosomal polymorphism is associated with nematode parasitism in a natural population of a tropical midge 58
- Haring E → Pinsker W
- Harper JA → Armstead IP
- Hart CM → Cuvier O
- Hayashi Y → Yamaguchi M
- Hayward MD → Armstead IP
- Hennig W: In memoriam: Wolfgang Beermann 133
- Heras JI de las → Shen MH
- Herrán R de la, Robles F, Cuñado N, Santos JL, Ruiz Rejón M, Garrido-Ramos MA, Ruiz Rejón C: A heterochromatic satellite DNA is highly amplified in a single chromosome of *Muscari* (Hyacinthaceae) 197
- Herrmann S → Queiroz-Machado J
- Hiraoka Y → Nabetani A
- Hirose F → Yamaguchi M
- Hizume M, Shibata F, Maruyama Y, Kondo T: Cloning of DNA sequences localized on proximal fluorescent chromosome bands by microdissection in *Pinus densiflora* Sieb. & Zucc. 345
- Hojak S → Skovorodkin IN
- Houben A, Verlin D, Leach CR, Timmis JN: The genomic complexity of micro B chromosomes of *Brachycome dichromosomatica* 451
- Hsu TC → Multani AS
- Ina S, Sasaki T, Yokota Y, Shinomiya T: A broad replication origin of *Drosophila melanogaster*, *oriDα*, consists of AT-rich multiple discrete initiation sites 131
- Inoue YH → Yamaguchi M
- Jaenisch R → Rasmussen TP
- Jantsch MF → Pedrosa A
- Jasencakova Z, Meister A, Schubert I: Chromatin organization and its relation to replication and histone acetylation during the cell cycle in barley 83
- Jiang J → Cheng Z
- Jirsová P → Bártová E
- Jonason AS, Baker SM, Sweasy JB: Interaction of DNA polymerase β with GRIP1 during meiosis 402
- Jones RN → Armstead IP
- Karni RJ, Wangh LJ, Sanchez JA: Nonrandom location and orientation of the inactive X chromosome in human neutrophil nuclei 267
- Käs E → Cuvier O
- Kaufmann SH → Adams RR
- Kazakov A → Alexandrov I
- Kempken F, Windhofer F: The *hAT* family: a versatile transposon group common to plants, fungi, animals, and man 1
- Kerrebrock AW → Mok EH
- Kikuchi A → Niimi A
- King IP → Armstead IP
- Koberna K → Staněk D
- Kondo T → Hizume M
- Koujin T → Nabetani A
- Koutná I → Bártová E
- Kozubek M → Bártová E
- Kozubek S → Bártová E
- Kunze B → Traut W
- Kupfer H → Green-Marroquin BL

- Kurata N → Nonomura K-I  
 Laemmli UK → Cuvier O  
 Lange TS → Mok EH  
 Lavoie J, Drouin R: Lymphoblasts already in the DNA synthesis phase of the cell cycle can be reversibly arrested at the R/G transition 501  
 Leach CR → Houben A  
 Lemos B → Bonvicino CR  
 Linares C, Loarce Y, Serna A, Fominaya A: Isolation and characterization of two novel retrotransposons of the Ty1-copia group in oat genomes 115  
 Loarce Y → Linares C  
 Locke J → Podemski L  
 Loppin B, Berger F, Couble P: The *Drosophila* maternal gene *sésame* is required for sperm chromatin remodeling at fertilization 430  
 Loukas MG → Bondinas GP  
 Luchetti F → Malatesta M  
 Lukášová E → Bártošová E  
 Lukaszewski AJ → Zhang P  
 Mackay AM → Adams RR  
 Malatesta M, Luchetti F, Marcheggiani F, Fakan S, Gazzanelli G: Disassembly of nuclear bodies during arousal from hibernation: an in vitro study 471  
 Malinský J → Staněk D  
 Marcheggiani F → Malatesta M  
 Martínez J-L, Edström JE, Morcillo G, Diez J-L: Telomeres in *Chironomus thummi* are characterized by different subfamilies of complex DNA repeats 221  
 Martou G, Park PC, De Boni U: Intracellular relocation of the *Plcβ3* sequence in cerebellar Purkinje neurons: temporal association with de novo expression during development 542  
 Maruyama Y → Hizume M  
 Mašata M → Staněk D  
 Matsukage A → Yamaguchi M  
 McKee BD → Stapleton W  
 Meister A → Jasencakova Z  
 Miller WJ → Pinsker W  
 Mishima M, Ohmido N, Fukui K, Yahara T: Trends in site-number change of rDNA loci during polyploid evolution in *Sanguisorba* (Rosaceae) 550  
 Mizuno S → Niimi A  
 Mok EH, Smith HS, DiBartolomeis SM, Kerrebrock AW, Rothschild LJ, Lange TS, Gerbi SA: Maintenance of the DNA puff expanded state is independent of active replication and transcription 186  
 Morcillo G → Martínez J-L  
 Moreno Díaz de la Espina S → Acevedo R  
 Morgan WG → Armstead IP  
 Moscone EA → Pedrosa A  
 Multani AS, Ozen M, Furlong CL, Zhao Y-J, Hsu TC, Pathak S: Heterochromatin and interstitial telomeric DNA homology 214  
 Nabetani A, Koujin T, Tsutsumi C, Haraguchi T, Hiraoka Y: A conserved protein, Nuf2, is implicated in connecting the centromere to the spindle during chromosome segregation: a link between the kinetochore function and the spindle checkpoint 322  
 Nath BB → Hardikar AA  
 Nergadze SG → Azzalin CM  
 Niimi A, Suka N, Harata M, Kikuchi A, Mizuno S: Co-localization of chicken DNA topoisomerase IIα, but not β, with sites of DNA replication and possible involvement of a C-terminal region of α through its binding to PCNA 102  
 Nishi Y → Yamaguchi M  
 Nonomura K-I, Kurata N: The centromere composition of multiple repetitive sequences on rice chromosome 5 284  
 Ohmido N → Mishima M  
 Orellana J → Sánchez-Morán E  
 Ozen M → Multani AS  
 Park PC → Martou G  
 Parra MT → Rodríguez EM  
 Paseková R → Bártošová E  
 Pathak S → Multani AS  
 Pedrosa A, Jantsch MF, Moscone EA, Ambros PF, Schweizer D: Characterisation of pericentromeric and sticky intercalary heterochromatin in *Ornithogalum longibracteatum* (Hyacinthaceae) 203  
 Pehrson JR → Rasmussen TP  
 Perdigão J → Queiroz-Machado J  
 Pinsker W, Haring E, Hagemann S, Miller WJ: The evolutionary life history of *P* transposons: from horizontal invaders to domesticated neogenes 148  
 Pliss A → Staněk D  
 Podemski L, Ferrer C, Locke J: Whole arm inversions of chromosome 4 in *Drosophila* species 305  
 Queiroz-Machado J, Perdigão J, Simões-Carvalho P, Herrmann S, Sunkel CE: *tef*: a mutation that causes *telomere fusion* and severe genome rearrangements in *Drosophila melanogaster* 10  
 Rahn IM → Traut W  
 Raška I → Staněk D  
 Rasmussen TP, Wutz A, Pehrson JR, Jaenisch R: Expression of *Xist* RNA is sufficient to initiate macrochromatin body formation 411  
 Rebollo E, Arana P: Active role of lagging chromosomes in spindle collapse as revealed by live phase contrast and tubulin immunostaining in grasshopper spermatocytes 292  
 Redi CA, Garagna S, Zacharias H, Zuccotti M, Capanna E: The other chromatin 136  
 Risueño M-C → Staněk D  
 Robinson TE → Carr M  
 Robles F → Herrán R de la  
 Rodríguez EM, Parra MT, Rufas JS, Suja JA: Colchicine promotes a change in chromosome structure without loss of sister chromatid cohesion in prometaphase I-arrested bivalents 478  
 Rodríguez TA, Burgoyne PS: Spermatogenic failure in male mice with four sex chromosomes 124  
 Romano F → Ferraro M  
 Rosén M, Castillejo-López C, Edström J-E: Telomere terminating with centromere-specific repeats is closely associated with a transposon derived gene in *Chironomus pallidivittatus* 532  
 Ross A → Shen MH  
 Rothschild LJ → Mok EH  
 Rufas JS → Rodríguez EM  
 Ruiz Rejón C → Herrán R de la  
 Ruiz Rejón M → Herrán R de la  
 Sadoni N, Sullivan KF, Weinzierl P, Stelzer EHK, Zink D: Large-scale chromatin fibers of living cells display a discontinuous functional organization 39  
 Sakaguchi K → Yamaguchi M  
 Samaniego R → Acevedo R  
 Sanchez JA → Karmi RJ  
 Sánchez-Morán E, Benavente E, Orellana J: Analysis of karyotypic stability of homoeologous-pairing (*ph*) mutants in allopolyploid wheats 371  
 Santos JL → Herrán R de la  
 Sasaki T → Ina S  
 Satinover DL, Vance GH, Van Dyke DL, Schwartz S: Cytogenetic analysis and construction of a BAC contig across a common neocentromeric region from 9p 275  
 Schubert I → Jasencakova Z  
 Schwartz S → Satinover DL  
 Schweizer D → Pedrosa A  
 Semeshin VF, Belyaeva ES, Zhimulev IF: Electron microscope mapping of the pericentric and intercalary heterochromatic regions of the polytene chromosomes of the mutant *Suppressor of underreplication* in *Drosophila melanogaster* 487  
 Serna A → Linares C  
 Serrano HN → Bonvicino CR  
 Shen MH, Ross A, Yang J, Heras JJ de las, Cooke H: Neo-centromere formation on a 2.6 Mb mini-chromosome in DT40 cells 421  
 Shepelev V → Alexandrov I  
 Shibata F → Hizume M  
 Shinomiya T → Ina S  
 Simões-Carvalho P → Queiroz-Machado J  
 Skalníková M → Bártošová E  
 Skovorodkin IN, Zassoukhina IB, Hojak S, Ammermann D, Günzl A: Minichromosomal DNA replication in the macronucleus of the hypotrichous ciliate *Stylonychia lemnae* is independent of chromosome-internal sequences 352  
 Smith HS → Mok EH  
 Soloway JR → Carr M  
 Sperlich D → Bondinas GP  
 Spradling AC → Calvi BR  
 Staněk D, Koberna K, Pliss A, Malinský J, Mašata M, Večeřová J, Risueño M-C, Raška I: Non-isotopic mapping of ribosomal RNA synthesis and processing in the nucleolus 460  
 Stapleton W, Das S, McKee BD: A role of the *Drosophila* *homeless* gene in repression of *Stellate* in male meiosis 228  
 Stelzer EHK → Sadoni N  
 Stupar RM → Cheng Z  
 Suja JA → Rodríguez EM  
 Suka N → Niimi A  
 Sullivan KF → Sadoni N  
 Sunkel CE → Queiroz-Machado J  
 Svingen PA → Adams RR  
 Sweasy JB → Jonason AS  
 Tamai K → Yamaguchi M  
 Thomas HM → Armstead IP  
 Timmis JN → Houben A

- Traut W, Rahn IM, Winking H, Kunze B, Weichenhan D: Evolution of a 6-200 Mb long-range repeat cluster in the genus *Mus* 247
- Tsutsumi C → Nabetani A
- Tumeneva I → Alexandrov I
- Vagnarelli P, Earnshaw WC: INCENP loss from an inactive centromere correlates with the loss of sister chromatid cohesion 393
- Vagnarelli P → Adams RR
- Van Dyke DL → Satinover DL
- Vance GH → Satinover DL
- Večeřová J → Staněk D
- Verlin D → Houben A
- Virkki N → Green-Marroquin BL
- Wangh LJ → Karni RJ
- Weichenhan D → Traut W
- Weinzierl P → Sadoni N
- Wheatley SP → Adams RR
- Windhofer F → Kempken F
- Winking H → Traut W
- Wise DA → Green-Marroquin BL
- Wolstenholme J, Angell RR: Maternal age and trisomy – a unifying mechanism of formation 130
- Wutz A → Rasmussen TP
- Yahara T → Mishima M
- Yamagishi M → Yamaguchi M
- Yamaguchi M, Yoshida H, Hirose F, Inoue YH, Hayashi Y, Yamagishi M, Nishi Y, Tamai K, Sakaguchi K, Matsukage A: Ectopic expression of BEAF32A in the *Drosophila* eye imaginal disc inhibits differentiation of photoreceptor cells and induces apoptosis 313
- Yang J → Shen MH
- Yokota Y → Ina S
- Yoshida H → Yamaguchi M
- Yurov Y → Alexandrov I
- Zacharias H → Redi CA
- Zassoukhina IB → Skovorodkin IN
- Zhang P, Friebe B, Lukaszewski AJ, Gill BS: The centromere structure in Robertsonian wheat-rye translocation chromosomes indicates that centric breakage-fusion can occur at different positions within the primary constriction 335
- Zhao Y-J → Multani AS
- Zhimulev IF → Semeshin VF
- Zink D → Sadoni N
- Zuccotti M → Redi CA
- Chromosoma Prize 379, 575
- Indexed in/abstracted by  
*Current Contents*  
*BIOSIS, Zoological Record*